

Jiffy Join

PATENTED TRACK AND SLIDER TAPE

22c
Ji

USE FOR DRAPERIES, SLIDE-A-SHADES, LIGHT CONTROL
AND HOSPITAL CUBICLE CURTAINS



IT'S SILENT — IT'S MODERN

CURTAINS ARE HUNG OR REMOVED IN A JIFFY!

NO RODS

NO HOOKS

NO PINS



Patients' Room. St. Vincent's Hospital, Green Bay, Wisconsin.
Architects: Foeller, Schober, Berners, Safford & Jahn • Green Bay.

SIMPLE TO INSTALL:

- 1—Put Up the Track
- 2—Stitch Slider Tape to Curtain
- 3—Insert Sliders into Track

Jiffy Join, Inc.

Executive Offices and Showroom:

461 Fourth Avenue, New York 16, N. Y.
ORegon 9-7950

223 South Robertson Blvd., Beverly Hills, Calif.
OLympia 7-0220

Canadian Representative From Coast to Coast:

Simpson's Contract Division
45 Richmond Street West, Toronto 1, Ontario
UNiversity 1-9111




The Beautiful Lobby of Eden Hospital, Castro Valley, California.
Architects: Stone, Mulloy, Marraccini & Patterson — San Francisco

Jiffy Join **silent curtain track**

For HOMES AND GENERAL APPLICATION


SPECIFY—any of our numerous wood or aluminum styles of track or molding (see opposite page) for hotels, apartments, commercial buildings, homes, trailers, schools, churches. Use as top part of window trim or apply to ceiling, wall or window — wherever curtains or draperies are to be hung. Design track to pass well beyond window jamb for maximum exposure. Choose a triple track or a combination of tracks for light control, television, sleeping or privacy curtains or for combination use of draperies, curtains and valance or swag. Use with or without pull cord.



For HOSPITALS—ceiling track

SPECIFY—Jiffy Join Silent Cubicle Surface Mounted Ceiling Track Style SAC-69-F. Use styles SAC-74-E, SAC-75-E, SAC-76-E for imbedding in plaster or acoustical material, depending on thickness of plaster or material (see details Page Three)—extruded aluminum alloy 6063 S-T5 with polished and anodized finish. Specify "Side Apertures" which are the openings through which curtains are inserted or removed. Standard bends on 12 inch radius. Toggle bolts and screws cadmium plated. **TO ORDER** — Prices quoted by the foot or estimates promptly made from your drawings.

CUBICLE CURTAINS with slider tape Code #34-JST-5H may be ordered to meet your specific requirements. If you wish to make your cubicle curtains, Jiffy Slider Tape and materials may be purchased from us.



For HOSPITALS—suspended type

SPECIFY—Jiffy Join Silent Cubicle track, Style SAC-70-E, size $\frac{3}{8}$ " x $\frac{7}{8}$ ", with side apertures for inserting curtains. Curves 8" radius. Track is an extruded aluminum alloy #6063 S-T5 with polished and anodized finish. Ceiling suspension hangers, Style SH-70-7, made of $\frac{5}{8}$ " x $\frac{7}{8}$ " aluminum tubing. Ceiling, connecting and wall brackets are cast aluminum alloy 355-T51. Toggle bolts or screws are cadmium-plated. **TO ORDER**—Quotations promptly given from your drawings. Curtains with Slider Tape Code #34JST-5H can be ordered to meet your specific material requirements.



For TRANSPORTATION

Curtain Attached Top and Bottom

SPECIFY—Aluminum track style SAC-60-E or SAC-63-E, extruded aluminum alloy 6063-S T5, for Trains, Aircraft, Ships, Buses and Trailers. See detail on page 3.

SPECIFY—Jiffy Slider Tape for use at top of window and Jiffy Anchor Tape for use at bottom. Sliders to be any desired spacing.

SPECIFY—Aluminum track style SAC-69-F for roomette, berth and space divider curtains with Jiffy Join Slider Tape Code 34-JST-5H, double or triple stitched to curtain.




Window treatment of Fairchild F27
Fairchild Engine and Airplane Corp.


and slider curtain tape

EXTRUDED JIFFY JOIN PATENTED ALUMINUM TRACK


■ scale: full size



■ typical installations




■ suspended track SAC-70-E



WOOD TRACK kiln dried, semi-hard wood

■ scale: quarter size



■ slider tape




SPECIFY: JIFFY JOIN SLIDER TAPE

Cloth covered non-corrosive and rustproof nickel silver sliders; launders flat. Available in various spacings.


■ suggested layouts




living room



bay window



valance, drapery
light control and glass curtain



drapery and glass curtain

Jiffy Join *SLIDE-A-SHADE

Specify HORIZONTAL draw shades on your next project where light control and privacy are factors. They draw across the window.

Use Jiffy Join Slide-a-Shades instead of venetian blinds or roller shades and reduce maintenance and replacement costs.

Use at all windows for light control in:

school rooms
patients' rooms
apartment houses
hotels
industrial buildings
government projects
aircraft
trains
ships
homes

Jiffy Join Slide-a-Shade is easily incorporated in any window design. Use one or more of our wood or aluminum tracks as part of your window construction.

Jiffy Join patented slider tape is an integral part of the Slide-a-Shade. When the Slide-a-Shade is inserted in Jiffy Join track, it slides noiselessly across the window. When drawn back, it may hang behind the drapery. Or it may be used as a curtain where additional drapery is not required. It is easily removable for laundering.


We suggest choosing a neutral color to blend with the exterior of the building. Slide-a-Shades may be obtained in any desired material — hard or soft surfaced fabrics, wood fibers, cotton, nylon and dacron. The material selected will determine the cost of the shade.

Samples available to architects and builders upon request.


This product is fully covered by patents both in the United States and in foreign countries.

Quotations on Jiffy Join track, slider tape, curtains, cubicle installations and draw shades are available only direct from Jiffy Join offices, our authorized representatives and from franchised dealers.

*TRADE MARK



for institutions — public & private hospitals, schools, dormitories, museums . . .



for hotels, offices, commercial and industrial buildings, showrooms, displays . . .



for apartments, homes



for trailers



for ships, yachts, vessels . . .



for aircraft, trains, buses

Jiffy Join, Inc.

461 Fourth Avenue
New York, N. Y.
Telephone: ORegon 9-7950

representatives in principal cities
CANADA
Simpson's Contract Division
45 Richmond Street West
Toronto 1, Ontario

223 South Robertson Blvd.
Beverly Hills, California
Telephone: Olymphia 7-0220

Printed in U.S.A.

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL

www.apti.org

BUILDING
TECHNOLOGY
HERITAGE
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:

Carol J. Dyson, AIA